Hearing Assessment Report

Pentair Currumbin Nov 2013

Employee SAMPLE 123 Smith Street NEWCASTLE NSW	DOB: 20/06/1982 Age: 31 Sex: Male Tel: Cost centre: Shift: Work No:

Entered: 08/01/2014 Status: Permanent - Noise exposed Commencement Date: Years employed:

Department: OPERATIONS Company: TRN GROUP

Occupation: FIELD TECHNICIAN Address: 200 SPRINGS ROAD

Comments: SPRING FARM NSW 2570

Previous Employers

1-

2-

3-

Military service: ☐ Years:

History of hearing troubles: ☐

Comments:

Medical history (as of last test)

Noisy Hobbies: ☒ Ringing ears: ☐

Power Tools: ☐ Frequent Colds: ☒

Dizziness: ☐ Discharges: ☐

Mumps / Measles: ☐

Exposure to childhood antibiotics: ☐

Exposure to explosive/gun fire: ☐

Hearing Test

Date tested: 08/01/2014 Age at test: 31

Test Type: Baseline Test

Period of quiet before test:

Protection worn before test: ☒

Protection usually worn: ☒

Currently has ear ache?: ☐

Type of protection worn: CABOFLEX 600 Class: 2

Work group Class:

Audiometer: AMPLIVOX 850 Calibrated: 09042014

Serial No: 22589

Air test

	.5k	1k	1.5k	2k	3k	4k	6k	8k	Hz
Left	25	30	30	45	55	50	50	35	dB
Right	15	25	20	35	45	35	25	10	dB

	Visual exam	Hearing Test	% Loss	Binaural
Left		Abnormal	23.8	15.2
Right		Abnormal	11.4	

% Loss age corrected, NAL Tables 1988

Re-Test

					3k	4k	6k	Hz
Left					--	--	--	dB
Right					--	--	--	dB

Left



Right



Commercial vehicule driver criteria Left: 38.8dB Right 30.0dB - Pass Train driver test: - Pass

Comments:

Actions

Training provided: ☒ Referred medically: ☐

Further actions

Next test: 08/01/2016 Next training: 08/01/2018

Tested by: NICOLA DEAN Approval #: Date: 08/01/2014 Signed

Powered by Workplace Audiometrics